



BACTERIOPHAGE THERAPY FOR POULTRY

EPHAGES[™] POULTRY

EFFECTIVE ON SUPERBUGS

Targets **E.coli**






BACTERIOPHAGE THERAPY FOR POULTRY

E PHAGES POULTRY

■EFFECTIVE ON SUPERBUGS

Targets **E.coli**

E PHAGES POULTRY is a cocktail of Phages identified and isolated from Natural environment. They are 100% Natural, selected and proven to work against the target Poultry pathogen, *E.coli* which are prevalent in Breeders, Layers & Broilers.



CONTENT : Lytic Bacteriophage of total 1x10¹⁰ PFU/ML (PFU - Plaque Forming Units)

E PHAGES POULTRY targets against most common

• Pathogenic & MDR E.coli including APEC strains.

E PHAGES POULTRY is periodically updated to maintain its specificity against current field pathogens.

Benefits:

- Target action against Pathogenic MDR *E.coli* including APEC strains.
- Prevents sudden sickness, drop in productivity and mortality, caused by Pathogenic MDR E.coli including APEC strains.
- Good choice to avoid AGP's to break antibiotic cycle, by taking care of bird's health on One Health (Good for the Bird, Environment and the Consumer) aspect.
- Maximizes performance of Probiotics by reducing Pathogen bioburden.
- Controls secondary bacterial infections, which aggravates during Mycoplasma infection and Viral disease outbreaks.

Dosage:

To be given through drinking water:

For Poultry BELOW 1.5 KG body weight: 100 ML / 5000 Birds. For Poultry ABOVE 1.5 KG body weight: 100 ML / 2000 Birds.

Broiler / Layer Breeders: Every month, First week – 5 days and Third week – 5 days

Commercial Broilers: For every Production batch, Week 1 – 5 days. Week 3 – 5 days and if extended to

Fifth week for 5 days

Commercial Layers: Every month, First week – 5 days.

Manufactured by:



<u>SALEM M</u>ICROBES PRIVATE LIMITED

